RESP. TO ADVISORY ACTION OF JAN. 23, 2007

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- (Original) A method for bookmarking a voicemail message, the method comprising:
  - (a) playing back a voicemail message; then
  - (b) receiving a bookmark request during the playing back of the voicemail message, wherein the bookmark request includes a timing offset value that defines a period of time preceding a point in the voicemail message at which the bookmark request was received; then
  - (c) receiving a request for playing back the voicemail message; and then
  - (d) instead of playing back the voicemail message from a start of the voicemail message, playing back the voicemail message starting at the period of time preceding the point in the voicemail message at which the bookmark request was received.
- 2. (Original) The method of Claim 1, wherein the playing back of the voicemail message in (d) occurs without receiving a rewind command from a user.
- 3. (Original) The method of Claim 1, wherein the voicemail message is stored in a database, and wherein the method further comprises determining a memory location within the stored voicemail message based on the timing offset value.
- 4. (Original) The method of Claim 1, wherein (a)-(d) are performed by a service node.

APPL. NO. 10/626,462 ATTY. DOCKET NO.: 08285-00636

**RESP. DATED MAR. 20, 2007** 

RESP. TO ADVISORY ACTION OF JAN. 23; 2007

5. (Original) A telecommunication system comprising:

a switch; and

a processor in communication with the switch and operative to:

play back a voicemail message; then
receive a bookmark request during the playing back of the voicemail
message, wherein the bookmark request includes a timing offset value
that defines a period of time preceding a point in the voicemail
message at which the bookmark request was received; then
receive a request for playing back the voicemail message; and then
instead of playing back the voicemail message from a start of the voicemail
message, play back the voicemail message starting at the period of
time preceding the point in the voicemail message at which the
bookmark request was received.

- 6. (Original) The telecommunication system of Claim 5, wherein the processor is operative to play back the voicemail message starting at the period of time preceding the point in the voicemail message at which the bookmark request was received without receiving a rewind command from a user.
- 7. (Original) The telecommunication system of Claim 5 further comprising a voicemail database storing the voicemail message, wherein the voicemail database is in communication with the processor.
- 8. (Original) The telecommunication system of Claim 5, wherein the processor is part of a service node.

ATTY. DOCKET No.: 08285-00636

APPL. No. 10/626,462 RESP. DATED MAR. 20, 2007

RESP. TO ADVISORY ACTION OF JAN. 23, 2007

9. (Original) A computer-usable medium storing a computer program product comprising:

means for playing back a voicemail message;

means for receiving a bookmark request during the playing back of the voicemail message, wherein the bookmark request includes a timing offset value that defines a period of time preceding a point in the voicemail message at which the bookmark request was received; means for receiving a request for playing back the voicemail message; and means for, instead of playing back the voicemail message from a start of the voicemail message, playing back the voicemail message starting at the period of time preceding the point in the voicemail message at which the bookmark request was received.

- 10. (Original) The computer-usable medium of Claim 9, wherein the playing back of the voicemail message starting at the period of time preceding the point in the voicemail message at which the bookmark request was received occurs without receiving a rewind command from a user.
- 11. (Original) The computer-usable medium of Claim 9, wherein the voicemail message is stored in a database, and wherein the computer-usable medium further comprises means for determining a memory location within the stored voicemail message based on the timing offset value.
- 12. (Original) The computer-usable medium of Claim 9, wherein each of the means is stored on a service node.

Claims 13 to 24 (Canceled).